

Black & White Printer

RICOH
imagine. change.

RICOH SP 4510DN

✓ Printer



SP 4510DN

40 B/W
ppm

A cost-efficient A4 office printer that delivers performance you can count on.

With its low Total Cost of Ownership, RICOH SP 4510DN A4 black-and-white printer meets the tightest operating budgets without compromising on performance. It prints up to 40 pages per minute at a resolution of 1,200 x 1,200 dpi, while an accurate and consistent image quality is ensured. Easy to use and maintain, it handles paper between 52 and 162g/m². To top it off, productivity-enhancing features include standard double-sided printing and Smart Device Print.

- Low Total Cost of Ownership
- Maximum savings: low power consumption
- Space-saving: highly compact
- High productivity: fast printing at 40 pages per minute
- Cost & time savings via standard double-sided printing



Meet your print needs and keep costs to a minimum

Cost efficient

With its perfect combination of an affordable purchase price and a low Cost Per Print, RICOH SP 4510DN is ideal for budget-conscious small- and medium-sized offices. Running costs are also low, making this printer the best purchase for these types of environments.

Ultra compact

An LED print head takes up much less space than the equivalent laser head. As such the SP 4510DN has a small footprint: you can install this device virtually anywhere as it takes up minimal office space.



Print anywhere, anytime

Now you can easily print documents from your iOS or Android device directly on the SP 4510DN. Smart Device Print also enables you to print PDF documents, print texts saved on the clipboard, and print JPG or PDF files in other applications.



Ricoh's total office solutions

Whatever equipment you need for your digital office – a printer, copier, fax, multifunctional device or software – you can find the appropriate solution from Ricoh's extensive line-up. Our solutions are tailored to company-specific needs, issues and challenges. Whether you are looking for cost reduction, productivity improvement, enhancing information security or environmental impact reduction we can help you to find the answer. After implementation, we offer comprehensive aftersales support.

RICOH SP 4510DN

MAIN SPECIFICATIONS

GENERAL	
Warm-up time:	Approx. 19 seconds
First output speed:	Approx. 5 seconds
Print speed:	40 pages per minute
Memory:	Standard: 512 MB Maximum: 1,024 MB
HDD:	320 GB (Option)
Processor:	RM7035C 533 MHz
APV:	3,000 pages, Max. 10,000 pages
Duty cycle:	150,000 prints per month
Duplex:	Yes
Dimensions (W x D x H):	370 x 392 x 306 mm
Weight:	14 kg
Power source:	220 - 240 V, 50/60 Hz

PRINTER	
Printer language:	Standard: PCL5e, PCL6, Adobe® PostScript® 3™, PDF direct print Option: XPS, IPDS
Print resolution:	600 x 600 dpi, 1,200 x 1,200 dpi
Fonts:	PCL (45 fonts, International fonts: 13 Intellifonts), PS3 (136 fonts)
Interface:	Standard: USB 2.0, USB Host I/F, Gigabit Ethernet Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n)
Network protocol:	TCP/IP, IPX/SPX (Option)
Windows® environments:	Windows® XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2012
Mac OS environments:	Macintosh OS X v10.5 or later
Novell® Netware® environments:	v6.5 (Option)

PAPER HANDLING	
Recommended paper size:	Standard Tray: A4, B5, A5, B6, A6, Legal, Letter, HLT, Executive, F, Foolscap, Folio, 16K, Custom size: Min. 3.93" x 5.82", Max. 8.46" x 14.0" Custom size: Min. 100mm x 148mm, Max. 216mm x 356mm Bypass Tray: A4, B5, A5, B6, A6, Legal, Letter, HLT, Executive, F, Foolscap, Folio, 16K, Custom size: Min. 2.36" x 8.50", Max. 5.00" x 35.43"/ Custom size: Min. 60mm x 216mm, Max. 127mm x 900mm Option: A4, B5, A5, B6, A6, Legal, Letter, HLT, Executive, F, Foolscap, Folio, 16K, Custom size: Min. 3.93" x 5.82", Max. 8.46" x 14.0" Custom size: Min. 100mm x 148mm, Max. 216mm x 356mm
Paper input capacity:	Std Tray: 500 sheets Bypass: 100 sheets Option: 500 sheets (Max 2 trays) Maximum: 1600 sheets
Paper output capacity:	Maximum: 250 sheets
Paper weight:	52 - 162 g/m ²

Media capability:	Std. Tray/Opt. tray: Recycled Paper, Color Paper, Letterhead, Preprinted Paper, Plain1, Plain2, Special1, Special2, Thick1, Thick2, Thin Bypass tray: Thick Paper, Middle Thick Paper, OHP (Transparency), Recycled Paper, Color Paper, Letterhead, Preprinted Paper, Plain1, Plain2, Special1, Special2, Thick1, Thick2, Thin, Labels, Envelope
-------------------	---

SECURITY	
Authentication:	LDAP authentication, User code authentication, 802.1.x wired authentication

ECOLOGY	
Power consumption:	Maximum: 1,110 W Energy Saver mode: 1.0 W

OPTIONS	
	1 x 250-sheet paper tray, 1 x 500-sheet paper tray, Hard Disk Drive (320 GB), RAM (1 GB), Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, VM Card, Netware, IPDS unit, XPS direct print

CONSUMABLES	
Starter toner:	Approx. 6,000 prints
Toner cartridge (low yield):	Approx. 3,000 prints
Toner cartridge (standard yield):	Approx. 6,000 prints
Toner cartridge (high yield):	Approx. 12,000 prints
PCDU yield:	Approx. 20,000 prints
Maintenance kit:	Approx. 120,000 prints

Consumable yield measuring method ISO/IEC 19752

For availability of models, options and software, please consult your local Ricoh supplier.

RICOH
imagine. change.

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2015 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.